




This Power Point presentation will be available on my website nativehaunts.com under *Presentation Archive*



Your local native plant specialty nursery! Potted trees, shrubs, and perennials.



Mountain Road, Alfred, ME

207-604-8655 nativehaunts@gmail.com www.nativehaunts.com

- Large selection of native plant material available in a variety of sizes and quantities.
- Plants are grown in Alfred and from other area producers.
- Landscape consultation services; what to plant, where to plant it, how to get it.




Natural Communities Definition


"An assemblage of interacting plants and animals and their common environment, recurring across the landscape, in which the effects of human intervention are minimal."

Excerpted from-Natural Landscapes of Maine; A Guide to Natural Communities and Ecosystems.
























Stop for demonstration break.





Northern Hardwoods Forest






The northern hardwoods forest is the dominant hardwood type in Maine and can be found statewide.

Characteristic trees and shrubs include:


- Beech
- Yellow birch
- Hemlock
- Hobblebush
- Moosewood













Striped maple bark comes in a dazzling variety of colors and patterns.



North Carolina Extension Garde...
Acer pensylvanicum (Goosef...



Native Plant Trust Pl... striped maple Acer ...



N Basic Tree | Tree Ide...
Basic Tree | Tree Id...



Adirondack Nature
Striped Maple | Acer pensylvanic...



Finger Lakes Native ... Striped bark of strip...



Government of Ontario Striped maple | ontario.ca



Towson Striped N



₩ UW-Green Bay
Trees of Wisconsin: Acer pensylvan...



© Omeka@CTL - The U... Striped Maple : Iden...



Campus Trees - Unive... Striped Maple | Cam...



© PNW Plants - Washin... Striped Maple - Acer...



Johnson's Nursery
Striped Maple | Johnson's Nursery | KB



Go Botany - Na
 Acer pensylvani



















Volume 123, Issue 2 23 January 2019

Article Contents

Abstract

INTRODUCTION

MATERIALS AND METHODS

RESULTS

DISCUSSION

SUPPLEMENTARY DATA

ACKNOWLEDGEMENTS

JOURNAL ARTICLE

Sterile marginal flowers increase visitation and fruit set in the hobblebush (Viburnum lantanoides, Adoxaceae) at multiple spatial scales •

Brian Park

Miranda Sinnott-Armstrong, Caroline Schlutius,

Juan-Carlos Penagos Zuluaga, Elizabeth L Spriggs, Raymond G Simpson,

Edgar Benavides, Michael J Landis, Patrick W Sweeney, Deren A R Eaton ... Show more

Annals of Botany, Volume 123, Issue 2, 23 January 2019, Pages 381–390, https://doi.org/10.1093/aob/mcy117

Published: 30 June 2018 Article history ▼



Abstract


Background and Aims


Enlarged sterile flowers on the periphery of inflorescences increase the attractiveness of floral displays, and previous studies have generally demonstrated that these have positive effects on insect visitation and/or






























Northern white cedar is an important horticultural crop and *many* varieties have been selected from this species.

- 'Amber Gold'
- 'American Pillar'
- 'DeGroot's Spire'
- 'Golden Globe'
- 'Hetz Midget'
- 'Hetz Wintergreen'
- 'Jantar'
- 'Mr. Bowling Bowl'
- 'North Pole'
- 'Piccolo'
- 'Primo'
- 'Smaragd'
- 'Techney'
- 'Woodwardii'






Northern White Cedar Germination Check List:

- ✓ Seed needs a cold period.
- ✓ Reliable moderate to high germination rate!
- ✓ Seeds may be collected well into the winter.
- ✓ Surface sow. Seed requires light to germinate.
- ✓ Seed is intolerant of drying out.















Popham Beach State Park, Phippsburg, ME









Questions or comments about today's presentation?

Contact:
Shawn Jalbert
207-604-8655
nativehaunts@gmail.com
www.nativehaunts.com